# Tabs

Category: Pattern

### **Approvals**

- UX, Harry Ardon
- SG, Jayson Elliot
- ADA, Mark Stimpson
- FED, Quentin Franke

#### **Status**


- ✓ In Web Style Guide
- In (Development or Production)
- Shared AEM Component
- Not in Mobile App

# 1. Symbols


### **Symbol Library**

All methods Most effective Easiest to use Less / no hormones


#### **Icons**



#### **Annotations**




#### **Screens**



# 2.0 Examples

### **Example 1**



## Emergency contraception

A condom breaks. You forget to take your pill. This is where emergency contraception comes in. It can be used within 5 days after unprotected sex to prevent pregnancy.

Learn more

### We're here to help



You can call us 24/7 and talk one-on-one with a provider about birth control or any other medical concerns.

Call us

### Email your provider

Send a private message to your provider. They can help you with prescriptions, questions, and concerns.

Send a message

### Make an appointment

Come in and talk with your provider about low-or-no-cost birth control methods.

Book an appointment

Share










© 2019 Kaiser Permanente



# 2.1 Examples

### Example 2



Visit Our Other Sites

© 2016 Kaiser Foundation Health Plan, Inc.

Español

# 3. Usage Guidelines

#### 3.0 Overview?

Tabs divide content into meaningful sections which occupies less screen space. In many cases, tabs visually connect with the content of a view. This reinforces the idea of a connection between the space and the active tab, and users can easily access the content that they are interested in.

#### 3.1 Best practices

- Use tabs to alternate between views within the same context, not to navigate to different areas.
- Logically chunk the content behind the tabs so users can easily predict what they'll find when they select a given tab.
- Use tabs only when users don't need to see content from multiple tabs simultaneously.
- Design tabs that are parallel in nature.
- Highlight the currently selected tab. Make sure that the highlighting is prominent enough so people can tell which tab is selected.
- The unselected tabs should be clearly visible and readable, reminding the user of the additional options.
- Connect the current tab to the content area.
- Write short tab labels and use plain language, rather than made-up terms. Tab labels should usually be 1-2 words.
- Do not use ALL CAPS for tab labels.
- Stick to only one row of tabs.
- Place the row of tabs on top of the tab panel not on the sides or the bottom, where users often overlook them.
- Tabs should all look and work the same.

#### 3.4 Reference

- https://www.freshconsulting.com/uiux-principle-21-when-and-when-not-to-use-tabs/
- https://www.nngroup.com/articles/tabs-used-right/
- https://uxplanet.org/tabs-for-mobile-ux-designd4cc4d9410d1

# 4. Design Guidlines

#### 4.0 Guidelines overview

• On mobile, tabs become a dropdown

#### 4.1 Redlines

#### Desktop - 1280



#### Desktop - 1024



#### Tablet - 768



#### Mobile - 320




#### Desktop & Tablet 1280 / 1024 / 768



Height: 22

#### Mobile 320



# 5. Interaction Guidelines

#### **5.0 Interaction Guidelines**

- The selected option is underlined
- Selecting a tab changes content beneath it

All methods Most effective Easiest to use Less / no hormones

# 6. Development Guidelines

#### **6.0 Redlines**


#### Desktop - 1280



#### Desktop - 1024




#### **Tablet - 768**



#### Mobile - 320



#### Desktop & Tablet 1280 / 1024 / 768



#### Mobile 320



### 7. ADA Considerations

#### **7.0 ADA**

The expected keyboard functionality is required in order to make this pattern keyboard accessible:

- TAB key to enter/exit tab control.
- Arrow keys to switch between triggering elements.

When a tab is active, screenreaders will hear "Beginning of tab content" prior to reading the tab panel's main content area. After reading the tab panel's main content area, screenreaders will hear "End of tab content". These text nodes are added dynamically to each tab panel and serve as useful markers for navigating through the tabs pattern for non-sighted users.

This text for these markers is set in the /src/data/config.json file, which also contain spanish translations. "Beginning of tab content" translates to "Inicio del contenido en la viñeta" in Spanish. "End of tab content" translates to "Fin del contenido en la viñeta" in Spanish. The desired language is applied by setting "en" (English) or "es" (Spanish) to the data attribute data-lang. Each of these announcements may also be overridden using the optional data-attributes data-panel-announcement-start and data-panel-announcement-end.

# 8. Version

01.20.2020

Pattern documented

# 9. Depricated